



# Evaluation of 6 month Anaemia Nurse role in Hywel Dda University Health Board October 2024-March 2025

Anne Wright

Senior Sister Preassessment Services Withybush Hospital

Anne.wright@wales.nhs.uk





## Background: <u>Hywel Dda University Health B</u>oard



4 General Hospitals 14 Health Centres 8 Community Hospitals Mental Health Services Residences and offices



Hywel Dda University Health Board provides healthcare services to a total population of around 385,615 throughout Carmarthenshire, Ceredigion and Pembrokeshire.







### **INTRODUCTION**

- Secondment Opportunity to spend 6 months developing/standardising the anaemia pathway within Hywel Dda
- A set of objectives were agreed with the line manager
- Senior Sister post was backfilled giving one of the Band 6 nurses opportunity to develop in Band 7 role
- Commenced October 2024-March 2025





- Visit each PAC area in HB to benchmark against the Anaemia Pathway
- Update my prescribing practice
- Update clinical colleagues and raise awareness of the Preop anaemia pathway
- Work alongside primary care colleagues in managing anaemia
- Link with prehab orthopaedic and waiting list support teams
- Explore/develop a PGD for oral iron within preassessment clinics
- Develop a network and introduce myself to the BHNOG team
- Link with other Health Boards in Wales to learn from best practice




### Anaemia Screen (POAS Blood Set) Indications

All patients in the following groups should have a POAS test within 12 weeks prior to scheduled date of surgery.

Patients who have their preassessment appointment more than 12 weeks prior to surgery will require repeat POAS test.

Colorectal Surgery	Partial Colectomy – Sigmoid Colectomy, Anterior Resection, Abdominoperineal (AP) Resection or Proclectomy
	Hemicolectomy - Right, Extended Right or Left
	Subtotal or Total Colectomy
	Proctocolectomy or Panproctocolectomy
Gynaecological Surgery	Hysterectomy
Orthopaedic Surgery	Primary Hip or Knee Arthroplasty
	Revision Hip or Knee Arthroplasty
Urological Surgery	Nephrectomy or Nephroureterectomy
	and the second se
Other Cases	Clinical judgement should be used in the following cases.
	Chronically anaemic patients
	<ul> <li>Actively bleeding patients</li> </ul>
ference	








Filter Pane

 $\nabla$ 





#### Extent of Pre-Operative Iron Testing (2018 to date)




## Filter Pane

#### Extent of Pre-Operative Iron Testing (2018 to date)







BHNCG

Grŵp Goruchwylio Iechyd Gwaed Cenedlaethol Blood Health National Oversight Group



## Challenges

- Office space
- Feeling guilty about having time out of the busy workplace
- Breaking down barriers
- Relationship building
- Adding standard template anaemia letters to WPAS (QR codes and tables unable to be included)
- Timing of secondment





### Next Steps

- Agree within HB how to continue the anaemia work
- Complete and implement the oral iron PGD
- Continue the Primary Care engagement
- Maintain links with BHNOG



# Thankyou

## **Any Questions**